

























## ALUMINIJUMSKE LAJSNE ZA PODOVE

<p>POCETNA AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>2853</b> L=0.9m L=2.7m 122 din. 366 din.</p>	<p>STEPENISNA PROTIVKLIZNA AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>2847</b> L=0.9m L=2.7m 193 din. 579 din.</p>	<p>PRELAZNA AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>350</b> L=0.9m L=2.7m 109 din. 327 din.</p>	<p>PRELAZNA PROTIVKLIZNA ALLAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>2957</b> L=0.9m L=2.7m 187 din. 561 din.</p>
<p>STEPENISNA AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>2907-8</b> L=0.9m L=2.7m 205 din. 615 din.</p>	<p>STEPENISNA AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>2907-10</b> L=0.9m L=2.7m 205 din. 615 din.</p>	<p>L. SPOLJNI UGAO</p>  <p>srebro mat - zlato mat</p> <p><b>2773</b> L=0.9m L=2.7m 116 din. 348 din.</p>	<p>L. SPOLJNI UGAO</p>  <p>srebro mat - zlato mat</p> <p><b>2775</b> L=0.9m L=2.7m 127 din. 381 din.</p>
<p>ALUMINIJUMSKA ZAŠTITA UGLOVA</p>  <p>srebro mat</p> <p><b>400</b> L=0.9m L=2.7m 216.7din 650 din</p>	<p>PRELAZNA AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>530</b> L=0.9m L=2.7m 205 din. 615 din.</p>	<p>PRELAZNA LAJSNA SA TIPLOM</p>  <p>srebro mat - zlato mat</p> <p><b>3379</b> L=0.9m L=2.7m 132 din. 396 din.</p>	<p>STEPENISNA AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>4061</b> L=0.9m L=2.7m 205 din. 615 din.</p>
<p>PRELAZNA AL. LAJSNA ZA ISTI NIVO</p>  <p>srebro mat, sjaj - zlato mat</p> <p><b>4006</b> L=0.9m L=2.7m 120 din. 360 din.</p>	<p>PRELAZNA ZA RAZLICIT NIVO DO 4MM</p>  <p>srebro mat - zlato mat</p> <p><b>2851</b> L=0.9m L=2.7m 120 din. 360 din.</p>	<p>ALPRAG LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>170</b> L=0.9m L=2.7m 380 din. 1140 din.</p>	<p>PRELAZNA RAVNA ALLAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>3051</b> L=0.9m L=2.7m 109 din. 327 din.</p>
<p>PRELAZNA, T,AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>4336</b> L=0.9m L=2.7m 109 din. 327 din.</p>	<p>PRELAZNA, T, AL. LAJSNA</p>  <p>srebro mat - zlato mat</p> <p><b>4337</b> L=0.9m L=2.7m 77 din. 231 din.</p>	<p>PRELAZNA ZA RAZLIKU DO 16 mm</p>  <p>srebro mat - zlato mat</p> <p><b>3588</b> L=0.9m L=2.7m 205 din. 615 din.</p>	<p>PRELAZNA ZA RAZLIKU DO 8MM</p>  <p>srebro mat - zlato mat</p> <p><b>4119</b> L=0.9m L=2.7m 145 din. 435 din.</p>
<p>ALUMINIJUMSKA SOKLA + ALU DRŽAČ</p>  <p>srebro mat</p> <p><b>800</b> L=0.9m L=2.7m 296.7din 890 din</p>	<p>UNUTR. UGAO ZA KERAMIKU, KAMEN, PARKET LAJSNE. ODGOVARA SVIM DIMENZIJAMA MATERIJALA</p>  <p>srebro mat</p> <p><b>11950</b> L=0.9m L=2.7m 96.7din 290 din</p>	<p>ALU LAJSNA ZA SPAJANJE PLOČA, PODOVA 8 mm</p>  <p>srebro mat</p> <p><b>2908-8</b> L=0.9m L=2.7m 227din 681 din</p>	<p>ALU LAJSNA ZA SPAJANJE PLOČA, PODOVA 10 mm</p>  <p>srebro mat</p> <p><b>2908-10</b> L=0.9m L=2.7m 227din 681 din</p>

Predmetni proizvodi su vrhunskog kvaliteta sa atestima i sertifikatima neophodnim za promet robe u EZ.



















Sve lajsne u ponudi su izrađene u srebro mat i sjaj i zlato mat.

Standardna duzina lajsni L=2.7m osim za stepenisnu 11888 L=3m. Kod lajsni 9966 i 9967 T perforacija omogućava savijanje.





Sve lajsne su upakovane u pvc foliju sa deklaracijom i teh. crtežom.

Za veće narudžbe odobravamo rabat i prevoz do kupca.

## ALUMINIJUMSKE LAJSNE ZA KERAMIKU

<p>ZAVRŠNA ZA KERAMIKU ZA 8 mm</p>  <p>srebro mat, sjaj - zlato mat</p> <p><b>4395</b> L=0.9m 141din L=2.7m 423 din</p>	<p>ZAVRŠNA ZA KERAMIKU ZA 10 mm</p>  <p>srebro mat, sjaj - zlato mat</p> <p><b>4396</b> L=0.9m 170din L=2.7m 510 din</p>	<p>ZAVRŠNA ZA KERAMIKU ZA 12 mm</p>  <p>srebro mat, sjaj - zlato mat</p> <p><b>4397</b> L=0.9m 196.67din L=2.7m 590 din</p>	<p>AL. LAJSNA ZAVRŠNA KERAMIKU DO 10 mm</p>  <p>srebro mat - zlato mat</p> <p><b>2777</b> L=0.9m 125din L=2.7m 375 din</p>
<p>LAJSNA ZA UNUTRAŠNJI UGAO</p>  <p>srebro mat - zlato mat</p> <p><b>11958-8</b> L=0.9m 205din L=2.7m 615 din</p>	<p>LAJSNA ZA UNUTRAŠNJI UGAO</p>  <p>srebro mat - zlato mat</p> <p><b>11958-12</b> L=0.9m 205din L=2.7m 615 din</p>	<p>AL-LAJNSNA ZA KERAMIKU 8mm</p>  <p>srebro mat - zlato mat</p> <p><b>9966</b> L=0.9m 144din L=2.7m 432 din</p>	<p>AL-LAJNSNA ZA KERAMIKU 10mm</p>  <p>srebro mat - zlato mat</p> <p><b>9967</b> L=0.9m 144din L=2.7m 432 din</p>
<p>AL-LAJNSNA ZA KERAMIKU 12mm</p>  <p>srebro mat - zlato mat</p> <p><b>9968</b> L=0.9m 144din L=2.7m 432 din</p>	<p>STEPENIŠNA AL-LAJNSNA ZA KERAMIKU</p>  <p>srebro mat - zlato mat</p> <p><b>253</b> L=0.9m 227din L=2.7m 681 din</p>	<p>STEPENIŠNA AL-LAJNSNA ZA KERAMIKU</p>  <p>srebro mat - zlato mat</p> <p><b>11888</b> L=1m 266.33din L=3m 799 din</p>	<p>STEPENIŠNA ZA KERAMIKU PERFOR. 8 i 10 mm</p>  <p>srebro mat - zlato mat</p> <p><b>4630</b> L=0.9m 205din L=2.7m 615 din</p>
<p>SAVITLJIVA AL. LAJSNA ZA KERAMIKU 8,10 i 12 mm</p>  <p>srebro mat - zlato mat</p> <p><b>9966</b> 8mm 10mm 9967 12mm 9968</p> <p>L=0.9m 144din L=2.7m 432 din</p>	<p>STEPENIŠNA AL-LAJNSNA ZA KERAMIKU</p>  <p>srebro mat</p> <p><b>4633</b> L=0.9m 295din L=2.7m 885 din</p>	<p>ALUMINIJUMSKA ZAŠTITA UGLOVA</p>  <p>srebro mat</p> <p><b>400</b> L=0.9m 216.67din L=2.7m 650 din</p>	<p>ALUMINIJUMSKA LISTELA</p>  <p>srebro mat - brilijant</p> <p><b>137</b> L=0.9m 112din L=2.7m 336 din</p>
<p>UNUTR. UGAO ZA KERAMIKU, KAMEN, PARKET LAJSNE. ODGOVARA SVIM DIMENZIJAMA MATERIJALA</p>  <p>srebro mat</p> <p><b>11950</b> L=0.9m 96.67din L=2.7m 290 din</p>	<p>ALUMINIJUMSKA STEPENIŠNA LAJSNA</p>  <p>srebro mat</p> <p><b>2850</b> L=0.9m 336din L=2.7m 1008 din</p>		

## NOVITETI

<p>ALUMINIJUMSKA SOKLA - ALU DRŽAČ</p>  <p>srebro mat</p> <p><b>800</b> L=0.9m 296.67din L=2.7m 890 din</p>	<p>ALUMINIJUMSKE BRISOLE - zaštita od sunca</p>  <p>srebro mat</p> <p><b>2100</b> L=3m L=6m</p>	<p>SAMOSTOJEĆI REKLAMNI PROFIL SA KLIK LAJSNOM</p>  <p>srebro mat</p> <p><b>1570</b> L=1m 1059din</p>	<p>KLIK LAJSNA ZA REKLAMNI PROFIL</p>  <p>srebro mat</p> <p><b>1570A</b> L=1m 155 din</p>
--	--	---	--

Predmetni proizvodi su vrhunskog kvaliteta sa atestima i sertifikatima neophodnim za promet robe u EZ.











Sve lajsne u ponudi su izrađene u srebro mat i sjaj i zlato mat.

Standardna dužina lajsni L=2.7m osim za stepenisnu 11888 L=3m. Kod lajsni 9966 i 9967 T perforacija omogućava savijanje.

Sve lajsne su upakovane u pvc foliju sa deklaracijom i teh. crtežom.

Za veće narudžbe odobravamo rabat i prevoz do kupca.

## ALUMINIJUMSKE LAJSNE ZA POLIKARBONAT PLOČE

 <p>AL. OKAPNICA ZA POLIKARBONATNE PLOČE 4,5 mm</p> <p>NEELOKSIRANI ALUMINIJUM</p> <p><b>4,6</b> L=3m 414 din L=6m 828 din</p>	 <p>AL. OKAPNICA ZA POLIKARBONATNE PLOČE 6mm</p> <p>NEELOKSIRANI ALUMINIJUM</p> <p><b>6,2</b> L=3m 414 din L=6m 828 din</p>	 <p>AL. OKAPNICA ZA POLIKARBONATNE PLOČE 8 mm</p> <p>NEELOKSIRANI ALUMINIJUM</p> <p><b>8,2</b> L=3m 432.5 din L=6m 865 din</p>	 <p>AL. OKAPNICA ZA POLIKARBONATNE PLOČE 10 mm</p> <p>NEELOKSIRANI ALUMINIJUM</p> <p><b>10,2</b> L=3m 432.5 din L=6m 865 din</p>
 <p>DONJI DEO AL. PROFILA ZA SPAJANJE POL. PLOČA</p> <p>NEELOKSIRANI ALUMINIJUM</p> <p><b>111</b> L=1m 360din L=6m 2160 din</p>	 <p>GORNJI DEO AL. PROFILA ZA SPAJANJE POL. PLOČA</p> <p>NEELOKSIRANI ALUMINIJUM</p> <p><b>112</b> L=1m 220din L=6m 1320 din</p>	 <p>POKLOPAČ AL. PROFILA ZA SPAJANJE POL. PLOČA</p> <p>srebro mat</p> <p><b>113</b> L=1m 190din L=6m 1140 din</p>	
 <p>ALU LAJSNA ZA SPAJANJE PLOČA, PODOVA 8 mm</p> <p>neelox.al.</p> <p><b>2908-8</b> L=1m 223.8din L=6m 1343din</p>	 <p>ALU LAJSNA ZA SPAJANJE PLOČA, PODOVA 10 mm</p> <p>neelox.al.</p> <p><b>2908-10</b> L=1m 223.8din L=6m 1343din</p>		

## ALUMINIJUMSKE LAJSNE ZA NAMEŠTAJ

 <p>AL.A LAJSNA ZA ZATVARANJE UNIVERA 18 mm</p> <p>srebro mat</p> <p><b>181</b> L=2.7m 290 din</p>	 <p>AL.A LAJSNA ZA ZATVARANJE UNIVERA 19 mm</p> <p>srebro mat</p> <p><b>190</b> L=2.7m 290 din</p>	 <p>AL.A LAJSNA ZA ZATVARANJE UNIVERA 37 mm</p> <p>srebro mat</p> <p><b>370</b> L=2.7m 490 din</p>	 <p>ALU LAJSNA ZA SPAJANJE PLOČA, PODOVA 8 mm</p> <p><b>2908-8</b> L=2.7m 681din</p>
 <p>ALU LAJSNA ZA SPAJANJE PLOČA, PODOVA 10 mm</p> <p><b>2908-10</b> L=2.7m 681din</p>	 <p>ALUMINIJUMSKI PROFIL ZA NAMEŠTAJ</p> <p>srebro mat</p> <p><b>510</b> L=2.7m 936 din</p>	 <p>ALUMINIJUMSKA VENTILACIJA</p> <p>srebro mat</p> <p><b>560</b> L=0.5m 340din</p>	

Predmetni proizvodi su vrhunskog kvaliteta sa atestima i sertifikatima neophodnim za promet robe u EZ.

Sve lajsne u ponudi su izrađene u srebro mat i sjaj i zlato mat.

Standardna duzina lajsni L=2.7m osim za stepenisnu 11888 L=3m. Kod lajsni 9966 i 9967 T perforacija omogućava savijanje.

Sve lajsne su upakovane u pvc foliju sa deklaracijom i teh. crtežom.

Za veće narudžbe odobravamo rabat i prevoz do kupca.